



# Safety Data Sheet

Issue Date: 02-May-2011

Revision Date: 17-Oct-2014

Version 1

## 1. IDENTIFICATION

### Product Identifier

Product Name SK-250

### Other means of identification

SDS # SK-250

UN/ID No UN3266

### Recommended use of the chemical and restrictions on use

Recommended Use Chlorinated Alkaline Foam Cleaner.

### Details of the supplier of the safety data sheet

#### Supplier Address

StartKleen  
193 Wall Street Road  
Gunter, Texas 75058

### Emergency Telephone Number

Company Phone Number Information: 903-207-1079, 7AM - 6PM M-F  
Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)  
1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

Appearance Light yellowish green liquid

Physical State Liquid

Odor Slight bleach

### Classification

|                                   |                           |
|-----------------------------------|---------------------------|
| Skin corrosion/irritation         | Category 1 Sub-category B |
| Serious eye damage/eye irritation | Category 1                |

### Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed

### Signal Word

Danger

### Hazard Statements

Causes severe skin burns and eye damage



**Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray  
 Wash face, hands and any exposed skin thoroughly after handling  
 Wear protective gloves/protective clothing/eye protection/face protection

**Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 Immediately call a poison center or doctor/physician  
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
 Wash contaminated clothing before reuse  
 Get medical attention  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
 Immediately call a poison center or doctor/physician  
 IF SWALLOWED: rinse mouth. Do NOT induce vomiting  
 Immediately call a poison center or doctor/physician

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Other Hazards**

Very toxic to aquatic life with long lasting effects

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name       | CAS No    | Weight-% |
|---------------------|-----------|----------|
| Potassium hydroxide | 1310-58-3 | 10-30    |
| Sodium hypochlorite | 7681-52-9 | 5-10     |

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

### 4. FIRST-AID MEASURES

**First Aid Measures**

|                     |  |
|---------------------|--|
| <b>Eye Contact</b>  | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.         |
| <b>Skin Contact</b> | IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Get medical attention.                     |
| <b>Inhalation</b>   | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.   |
| <b>Ingestion</b>    | IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person. Immediately call a poison center or doctor/physician. |

**Most important symptoms and effects**

|                 |   |
|-----------------|---|
| <b>Symptoms</b> | Corrosive to eyes and may cause severe damage including blindness. Extremely corrosive and destructive to skin tissue. Ingestion will cause burns to upper digestive tract. Inhalation will cause burns to respiratory tract. |
|-----------------|---|

**Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** Treat symptomatically.

**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media** Not determined.

**Specific Hazards Arising from the Chemical**

Product is not flammable. This product is corrosive and may present a contact hazard to firefighters.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures**

**Personal Precautions** Use personal protection recommended in Section 8.

**Environmental Precautions** Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

**Methods and material for containment and cleaning up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up** Contain and collect with an inert absorbent and place into an appropriate container for disposal.

**7. HANDLING AND STORAGE****Precautions for safe handling**

**Advice on Safe Handling** Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Wash face, hands, and any exposed skin thoroughly after handling. Do not breathe dust/fume/gas/mist/vapors/spray.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked up.

**Incompatible Materials** Strong oxidizing agents. Strong acids. Bases. Light metals.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Exposure Guidelines**

| Chemical Name                    | ACGIH TLV                    | OSHA PEL                               | NIOSH IDLH                   |
|----------------------------------|------------------------------|--|------------------------------|
| Potassium hydroxide<br>1310-58-3 | Ceiling: 2 mg/m <sup>3</sup> | (vacated) Ceiling: 2 mg/m <sup>3</sup> | Ceiling: 2 mg/m <sup>3</sup> |

**Appropriate engineering controls**

**Engineering Controls** Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.

**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection** Wear eye/face protection.

**Skin and Body Protection** Chemical resistant protective gloves.

**Respiratory Protection** Ensure adequate ventilation, especially in confined areas.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES****Information on basic physical and chemical properties**

|                       |                              |                       |                |
|-----------------------|------------------------------|-----------------------|----------------|
| <b>Physical State</b> | Liquid                       | <b>Odor</b>           | Slight bleach  |
| <b>Appearance</b>     | Light yellowish green liquid | <b>Odor Threshold</b> | Not determined |
| <b>Color</b>          | Light yellowish green        |                       |                |

| <b><u>Property</u></b>              | <b><u>Values</u></b>  | <b><u>Remarks • Method</u></b> |
|-------------------------------------|-----------------------|--------------------------------|
| <b>pH</b>                           | >12                   |                                |
| <b>Melting Point/Freezing Point</b> | Not determined        |                                |
| <b>Boiling Point/Boiling Range</b>  | Not determined        |                                |
| <b>Flash Point</b>                  | Not determined        |                                |
| <b>Evaporation Rate</b>             | Not determined        |                                |
| <b>Flammability (Solid, Gas)</b>    | Liquid-Not applicable |                                |
| <b>Upper Flammability Limits</b>    | Not determined        |                                |
| <b>Lower Flammability Limit</b>     | Not determined        |                                |
| <b>Vapor Pressure</b>               | Not determined        |                                |
| <b>Vapor Density</b>                | Not determined        |                                |
| <b>Specific Gravity</b>             | 1.095                 |                                |
| <b>Water Solubility</b>             | Soluble in water      |                                |
| <b>Solubility in other solvents</b> | Not determined        |                                |
| <b>Partition Coefficient</b>        | Not determined        |                                |
| <b>Auto-ignition Temperature</b>    | Not determined        |                                |
| <b>Decomposition Temperature</b>    | Not determined        |                                |
| <b>Kinematic Viscosity</b>          | Not determined        |                                |
| <b>Dynamic Viscosity</b>            | Not determined        |                                |
| <b>Explosive Properties</b>         | Not determined        |                                |
| <b>Oxidizing Properties</b>         | Not determined        |                                |

**10. STABILITY AND REACTIVITY****Reactivity**

Not reactive under normal conditions.

**Chemical Stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

**Conditions to Avoid**

Keep separated from incompatible substances. Keep out of reach of children.

**Incompatible Materials**

Strong oxidizing agents. Strong acids. Bases. Light metals.

**Hazardous Decomposition Products**

None known based on information supplied.

**11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure****Product Information**

|                     |                                  |
|---------------------|----------------------------------|
| <b>Eye Contact</b>  | Causes severe eye damage.        |
| <b>Skin Contact</b> | Causes severe skin burns.        |
| <b>Inhalation</b>   | Avoid breathing vapors or mists. |
| <b>Ingestion</b>    | May be harmful if swallowed.     |

**Component Information**

| Chemical Name                    | Oral LD50            | Dermal LD50              | Inhalation LC50 |
|----------------------------------|----------------------|--------------------------|-----------------|
| Potassium hydroxide<br>1310-58-3 | = 214 mg/kg ( Rat )  | -                        | -               |
| Sodium hypochlorite<br>7681-52-9 | = 8200 mg/kg ( Rat ) | > 10000 mg/kg ( Rabbit ) | -               |

**Information on physical, chemical and toxicological effects**

**Symptoms** Please see section 4 of this SDS for symptoms.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Carcinogenicity** Group 3 IARC components are "not classifiable as human carcinogens".

| Chemical Name                    | ACGIH | IARC    | NTP | OSHA |
|----------------------------------|-------|---------|-----|------|
| Sodium hypochlorite<br>7681-52-9 |       | Group 3 |     |      |

**Legend**

*IARC (International Agency for Research on Cancer)*

*Group 3 IARC components are "not classifiable as human carcinogens"*

**Numerical measures of toxicity**

Not determined

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

Very toxic to aquatic life with long lasting effects.

**Component Information**

| Chemical Name                    | Algae/aquatic plants                          | Fish   | Toxicity to microorganisms | Crustacea   |
|----------------------------------|---|--|----------------------------|---|
| Potassium hydroxide<br>1310-58-3 |   | 80: 96 h Gambusia affinis<br>mg/L LC50 static  |                            |   |
| Sodium hypochlorite<br>7681-52-9 | 0.095: 24 h Skeletonema<br>costatum mg/L EC50 | 0.06 - 0.11: 96 h Pimephales<br>promelas mg/L LC50 flow-<br>through 4.5 - 7.6: 96 h<br>Pimephales promelas mg/L<br>LC50 static 0.4 - 0.8: 96 h<br>Lepomis macrochirus mg/L<br>LC50 static 0.28 - 1: 96 h<br>Lepomis macrochirus mg/L<br>LC50 flow-through 0.05 -<br>0.771: 96 h Oncorhynchus<br>mykiss mg/L LC50 flow-<br>through 0.03 - 0.19: 96 h<br>Oncorhynchus mykiss mg/L<br>LC50 semi-static 0.18 - 0.22:<br>96 h Oncorhynchus mykiss<br>mg/L LC50 static |                            | 2.1: 96 h Daphnia magna<br>mg/L EC50 0.033 - 0.044: 48<br>h Daphnia magna mg/L<br>EC50 Static |

**Persistence/Degradability**

Not determined.

**Bioaccumulation**

Not determined.

**Mobility**

| Chemical Name                    | Partition Coefficient |
|----------------------------------|-----------------------|
| Potassium hydroxide<br>1310-58-3 | 0.83                  |

**Other Adverse Effects**

Not determined

**13. DISPOSAL CONSIDERATIONS****Waste Treatment Methods**

|                               |   |
|-------------------------------|---|
| <b>Disposal of Wastes</b>     | Disposal should be in accordance with applicable regional, national and local laws and regulations. |
| <b>Contaminated Packaging</b> | Disposal should be in accordance with applicable regional, national and local laws and regulations. |

**California Hazardous Waste Status**

| Chemical Name                    | California Hazardous Waste Status |
|----------------------------------|-----------------------------------|
| Potassium hydroxide<br>1310-58-3 | Toxic<br>Corrosive                |

**14. TRANSPORT INFORMATION**

**Note** Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

**DOT**

**UN/ID No** UN3266  
**Proper Shipping Name** Corrosive liquid, basic, inorganic, n.o.s. (Potassium hydroxide, Sodium hypochlorite)  
**Hazard Class** 8  
**Packing Group** II

**IATA**

**UN/ID No** UN3266  
**Proper Shipping Name** Corrosive liquid, basic, inorganic, n.o.s. (Potassium hydroxide, Sodium hypochlorite)  
**Hazard Class** 8  
**Packing Group** II

**IMDG**

**UN/ID No** UN3266  
**Proper Shipping Name** Corrosive liquid, basic, inorganic, n.o.s. (Potassium hydroxide, Sodium hypochlorite)  
**Hazard Class** 8  
**Packing Group** II  
**Marine Pollutant** This material may meet the definition of a marine pollutant

**15. REGULATORY INFORMATION**

**International Inventories**

**TSCA** Listed  
**DSL** Listed  
**EINECS** Listed  
**ENCS** Listed  
**IECSC** Listed  
**KECL** Listed  
**PICCS** Listed  
**AICS** Listed

**Legend:**

- TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*
- DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List*
- EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*
- ENCS - Japan Existing and New Chemical Substances*
- IECSC - China Inventory of Existing Chemical Substances*
- KECL - Korean Existing and Evaluated Chemical Substances*
- PICCS - Philippines Inventory of Chemicals and Chemical Substances*
- AICS - Australian Inventory of Chemical Substances*

**US Federal Regulations**

**CERCLA**

| Chemical Name                    | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ)                  |
|----------------------------------|--------------------------|----------------|---|
| Potassium hydroxide<br>1310-58-3 | 1000 lb                  |                | RQ 1000 lb final RQ<br>RQ 454 kg final RQ |
| Sodium hypochlorite<br>7681-52-9 | 100 lb                   |                | RQ 100 lb final RQ<br>RQ 45.4 kg final RQ |

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

**CWA (Clean Water Act)**

| Chemical Name       | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|---------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| Potassium hydroxide | 1000 lb                     |                        |                           | X                          |
| Sodium hypochlorite | 100 lb                      |                        |                           | X                          |

**US State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

| Chemical Name                    | New Jersey | Massachusetts | Pennsylvania |
|----------------------------------|------------|---------------|--------------|
| Potassium hydroxide<br>1310-58-3 | X          | X             | X            |
| Sodium hypochlorite<br>7681-52-9 | X          | X             | X            |

**16. OTHER INFORMATION****NFPA****Health Hazards**

Not determined

**Flammability**

Not determined

**Instability**

Not determined

**Special Hazards**

Not determined

**HMIS****Health Hazards**

Not determined

**Flammability**

Not determined

**Physical Hazards**

Not determined

**Personal Protection**

Not determined

Issue Date: 02-May-2011

Revision Date: 17-Oct-2014

Revision Note: New format

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**